Attorney Docket No.: DC-0261US.NP
Inventors: Foote and Yeo
Serial No.: 10/553.585

Serial No.: 10/553,585 Filing Date: January 13, 2006

Page 2

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-3 (canceled).

Claim 4 (currently amended): A method for detecting cardiac ischemia in an individual suspected of suffering from ischemic cardiovascular disease comprising:

- a) measuring a level of brain natriuretic peptide or Nterminal probrain natriuretic peptide in picograms of peptide
 per milliliter of blood in a first blood sample from an
 individual suspected of suffering from ischemic cardiovascular
 disease;
- b) subjecting the individual to an exercise stress test with myocardial perfusion imaging wherein a dual isotope, reststress protocol is used;
- c) measuring a level of brain natriuretic peptide or Nterminal probrain natriuretic peptide in picograms of peptide
 per milliliter of blood in a second blood sample from the
 individual immediately after completion of the exercise stress
 test; and

Attorney Docket No.:

Inventors:

Foote and Yeo Serial No.: 10/553,585

Filing Date: January 13, 2006

Page 3

d) comparing an actual picogram per milliliter of blood level of brain natriuretic peptide or N-terminal probrain natriuretic peptide in the first and second blood samples;

DC-0261US.NP

- e) determining an absolute level of change in the actual picogram per milliliter of blood level of brain natriuretic peptide or N terminal probrain natriuretic peptide in the first blood sample as compared to the second blood sample in the individual; and
- f) diagnosing ischemic cardiovascular disease in individual by identifying the absolute level of change in the actual picogram per milliter of blood level of peptide as being greater than 10 picograms per milliliter of brain natriuretic peptide or as being greater than 5 picograms per milliliter of N-terminal probrain natriuretic peptide.

Claim 5 (new): A method for detecting cardiac ischemia in an individual suspected of suffering from ischemic cardiovascular disease comprising:

measuring a level of N-terminal probrain natriuretic peptide in picograms of peptide per milliliter of blood in a first blood sample from an individual

Attorney Docket No.:

Inventors: Serial No.: Filing Date: DC-0261US.NP Foote and Yeo 10/553,585

January 13, 2006

Page 4

suspected of suffering from ischemic cardiovascular disease;

- b) subjecting the individual to an exercise stress test with myocardial perfusion imaging wherein a dual isotope, rest-stress protocol is used;
- measuring level а of N-terminal probrain natriuretic peptide in picograms of peptide per milliliter of blood in a second blood sample from the individual immediately after completion of the exercise stress test;
- comparing an actual picogram per milliliter of blood level of N-terminal probrain natriuretic peptide in the first and second blood samples;
- e) determining an absolute level of change in the actual picogram per milliliter of blood level of N-terminal probrain natriuretic peptide in the first blood sample as compared to the second blood sample in the individual; and
 - f) diagnosing ischemic cardiovascular disease in an individual by identifying the absolute level of change in the actual picogram per milliter of blood level of peptide as being greater than 5 picograms per milliliter of Nterminal probrain natriuretic peptide.